

Issuing Date 30-Jun-2015

Revision Date 30-Jun-2015

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** Thermoflex Crack / Joint Thermo-Sealant

### Other means of identification

**Product Code(s)** 147

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Refer to the Product Data Sheet for Additional Information.

**Uses advised against** No information available

### Supplier's details

#### **Supplier Address**

Neyra Industries, Inc.  
10700 Evendale Drive  
Cincinnati, Ohio 45241  
TEL: (513) 733-1000

### Emergency telephone number

**Company Emergency Phone Number** (513) 733-1000

## 2. HAZARDS IDENTIFICATION

### Classification

This product is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Carcinogenicity	Category 2
-----------------	------------

### GHS Label elements, including precautionary statements

#### Emergency Overview

#### **Signal Word**

#### **Hazard Statements**

- Suspected of causing cancer

#### **Warning**



**Appearance** Black

**Physical State** Solid.

**Odor** Slight, Asphaltic

**Precautionary Statements****Prevention**

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

**General Advice**

- If exposed or concerned: Get medical attention/advice

**Storage**

- Store locked up.

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

May be harmful if swallowed. May be harmful if inhaled. Contact with molten material will cause thermal burns. 0% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Asphalt	8052-42-4	75-85	*
Limestone	1317-65-3	5-15	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Contact with molten materials, requires immediate medical assistance.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water. Consult a physician. In case of burns, immediately cool affected skin for as long as possible with cold water.
<b>Inhalation</b>	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
<b>Ingestion</b>	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** Burn

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** No information available.

**Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous Combustion Products** Hydrocarbons. Hydrogen sulfide.

**Explosion Data**

**Sensitivity to Mechanical Impact**

None.

**Sensitivity to Static Discharge**

None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions**

Wear protective gloves/clothing and eye/face protection.

**Environmental Precautions**

**Environmental Precautions**

See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment**

None required.

**Methods for Cleaning Up**

Use personal protective equipment. Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ eye protection/ face protection Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

**Storage**

Keep container tightly closed in a dry and well-ventilated place. Do not store in direct sunlight or in temperatures exceeding 120°F (48.9°C).

**Incompatible Products**

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Asphalt 8052-42-4	TWA: 0.5 mg/m <sup>3</sup> benzene soluble aerosol fume, inhalable fraction	-	Ceiling: 5 mg/m <sup>3</sup> fume 15 min
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> respirable dust TWA: 10 mg/m <sup>3</sup> total dust

*Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:*

**Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Measures**  
Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.  
**Skin and Body Protection** Wear protective gloves/clothing.  
**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical State</b>	Solid.	<b>Appearance</b>	Black.
<b>Odor</b>	Slight, Asphaltic.	<b>Odor Threshold</b>	No information available.
<b>Property</b>	<b>Values</b>	<b>Remarks/ - Method</b>	
<b>pH</b>	No data available	None known	
<b>Melting Point/Range</b>	180 °C	None known	
<b>Boiling Point/Boiling Range</b>	No information available.	None known	
<b>Flash Point</b>	No data available	None known	
<b>Evaporation rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limits in Air</b>			
upper flammability limit	No data available		
lower flammability limit	No data available		
<b>Vapor Pressure</b>	No data available.	None known	
<b>Vapor Density</b>	No data available.	None known	
<b>Specific Gravity</b>	1.16	None known	
<b>Water Solubility</b>	No data available	None known	
<b>Solubility in other solvents</b>	Partly soluble.	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition Temperature</b>	No data available	None known	
<b>Decomposition Temperature</b>	No data available	None known	
<b>Viscosity</b>	No data available	None known	
<b>Flammable Properties</b>	Not flammable		
<b>Explosive Properties</b>	No data available		
<b>Oxidizing Properties</b>	No data available		
<b>Other information</b>			
<b>VOC Content (%)</b>	No data available		
<b>VOC (g/l)</b>	0		

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available.

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Hazardous Polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

Excessive heat.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous decomposition products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrocarbons. Sulfur oxides. Hydrogen sulfide.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	No acute toxicity information is available for this product.
<b>Inhalation</b>	There is no data available for this product.
<b>Eye Contact</b>	There is no data available for this product.
<b>Skin Contact</b>	There is no data available for this product.
<b>Ingestion</b>	There is no data available for this product.

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Asphalt	5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Sensitization** No information available.  
**Mutagenic Effects** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt		Group 2B	Reasonably Anticipated	X

**IARC: (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans

**OSHA: (Occupational Safety & Health Administration)**

X - Present

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Chronic Toxicity** The International Agency for Research on Cancer (IARC) has determined that there is inadequate evidence that undiluted, air-refined asphalt is carcinogenic to experimental animals. Limited evidence exists that undiluted steam-refined and cracking residue asphalts is carcinogenic to animals. Additionally, IARC has concluded that there is inadequate evidence that asphalts alone are carcinogenic to humans.  
**Target Organ Effects** Respiratory system.

**Aspiration Hazard** No information available.

**Numerical measures of toxicity - Product**

**Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:*

**LD50 Oral** 5000 mg/kg; Acute toxicity estimate

**LD50 Dermal** 2001 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Not Classified

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Asphalt	6.006

**Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

**TDG** Not regulated

**MEX** Not regulated

## 15. REGULATORY INFORMATION

**International Inventories**

**TSCA** Complies

**DSL** Complies

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
---------------	--------	----------	-------------------------------

Asphalt	8052-42-4	80.87	0.1
---------	-----------	-------	-----

**SARA 311/312 Hazard Categories**

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Asphalt	X	X	X		X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
<b>HMIS</b>	Health Hazard 1*	Flammability 1	Physical Hazard 0	Personal Protection X

\*Indicates a chronic health hazard.

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 30-Jun-2015  
**Revision Date** 30-Jun-2015  
**Revision Note** Initial Release.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**