

SAFETY DATA SHEET

Issuing Date 1-Oct-2020

Revision Date 1-Oct-2020

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifi	er			
Product Name	DynaPrime Concre	ete Primer		
Other means of iden	tification			
Product Code(s)	159			
Synonyms	None			
Recommended use of	of the chemical and restrictions on	<u>use</u>		
Recommended Use	Refer to the Product	t Data Sheet for Additional Inf	ormation.	
Uses advised agains	t No information availa	able		
Supplier's details				
Supplier Address Neyra Industries, I 10700 Evendale D Cincinnati, Ohio 4 TEL: (513) 733-10	nc. Irive 5241			
Emergency telephon	e number			
Company Emergenc Number	y Phone (513) 733 - 1000			
	2. HAZARI	DS IDENTIFICATION		
<u>Classification</u>				
This product is not cor	nsidered hazardous by the OSHA Haz	zard Communication Standard	d 2012 (29 CFR 1910.120	0)
Not classified				
GHS Label elements	including precautionary statement	<u>ts</u>		
	Emerg	gency Overview		
Signal Word	None	_		
The product	contains no substances which at their	r given concentration are con	sidered to be hazardous t	o health
Appearance Blue	Physical State			Slight, Ammonia
Precautionary Stater Prevention	nents			

General Advice

None

Storage

None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

If product is removed by sanding or grinding may produce dust particulates. 0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Quartz	14808-60-7	15-25	*
Ethylene glycol	107-21-1	1.0-2.0	*
2-Phenoxyethanol	122-99-6	1.0-2.0	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation persists. **Skin Contact** Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects None known

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical None known

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal Precautions	None required for material as supplied.		
Environmental Precautions			
Environmental Precautions	See Section 12 for additional Ecological Information.		
Methods and materials for contain	nent and cleaning up		
Methods for Containment	Dike far ahead of liquid spill for later disposal.		
Methous for Containment			
Methods for Cleaning Up	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Handling	Avoid sanding and grinding surfaces containing dried paint film.		
Conditions for safe storage, including any incompatibilities			
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not allow to freeze.		
Incompatible Products	None known based on information supplied.		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	30/(%SiO2+2) mg/m ³ TWA, Total Dust;250/%SiO2+5) mppcf TWA, respirable fraction; 10/(%SiO2+2) mg/m ³ TWA, respirable TWA: 0.1 mg/m ³ (vacated)	TWA: 0.05 mg/m ³ respirable dust
Ethylene glycol 107-21-1	Ceiling: 100 mg/m ³ aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m ³	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Wear protective gloves/clothing. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Liquid. Slight, Ammonia.	Appearance Odor Threshold	Blue. No information available.
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature Decomposition Temperature Viscosity	Values 7.0 - 9.0 No information available. 100°C No data available No data available. No data available.	Remarks/ - Me None known None known	ethod
Flammable Properties	Not flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%) VOC (g/l)	No data available 42		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Inhalation	Product does not present an acute toxicity hazard based on known or supplied information. There is no data available for this product.
Eye Contact	There is no data available for this product.
Skin Contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quartz	-	-	-
Ethylene glycol	4000 mg/kg (Rat)	9530 µL/kg (Rabbit)	-
TMPD-MIB	Oral (rat) >2,000 mg/kg	Dermal (rabbit) >2,000 mg/kg	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

None under normal use.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Sensitization Mutagenic Effects Carcinogenicity No information available. No information available. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration) X - Present

Reproductive Toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Aspiration Hazard	No information available.	
<u>Numerical measures of toxicity</u> Acute Toxicity LD50 Oral LD50 Dermal Inhalation dust/mist	<u>- Product</u> 0% of the mixture consists of ingredient(s) of unknown toxicity. >2000 mg/kg; (rat); Acute toxicity estimate 29597 mg/kg; (rabbit); Acute toxicity estimate 40.4 mg/L; Acute toxicity estimate	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not Classified

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Log Pow
Ethylene glycol	-1.93
TMPD-MIB	1.95

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS		
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Contaminated Packaging	Do not re-use empty containers.	
14. TRANSPORT INFORMATION		
DOT	Not regulated	
TDG	Not regulated	
MEX	Not regulated	

15. REGULATORY INFORMATION

International Inventories TSCA DSL

Complies Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Ethylene glycol	107-21-1	3.44	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylene glycol	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

The classification listed below only applies to respirable quartz. This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65	
Quartz	14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	Х	Х	Х	-	Х
Ethylene glycol	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 0	Instability 0		Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard	0	Personal Protection X
Prepared By	10700 E Cincinna	idustries, Inc. Evendale Drive ati, Ohio 45241			
Issuing Date Revision Date Revision Note	1-800-5 1-Oct-2 1-Oct-2 Initial Re	020			

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.