

SAFETY DATA SHEET

Issuing Date 3-Feb-2022 Revision Date 3-Feb-2022 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Neyra PolyPro Pavement Sealer

Other means of identification

Product Code(s) 107

Synonyms

Recommended use of the chemical and restrictions on use

Recommended Use Refer to the Product Data Sheet for Additional Information.

Uses advised against No information available

Supplier's details

Supplier Address

Neyra Industries, Inc. 10700 Evendale Drive Cincinnati, Ohio 45241 TEL: (513) 733-1000

Emergency telephone number

Company Emergency Phone

Number

(513) 733-1000

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Carcinogenicity Category 1A

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Hazard Statements • May cause cancer Danger



Appearance Brown Physical State Liquid. Odor Slight, Tar like

Precautionary Statements

Prevention

- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

General Advice

· If exposed or concerned: Get medical attention/advice

Storage

· Store locked up.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

1.7% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

| Chemical Name | CAS-No | Weight % | Trade secret |
|---------------|-----------|----------|--------------|
| Coal tar | 8007-45-2 | 30-40 | * |
| Kaolin | 1332-58-7 | 15-30 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if irritation persists.

Skin Contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Revision Date 3-Feb-2022

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products Hydrocarbons. Hydrogen sulfide.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective gloves/clothing and eye/face protection.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for ContainmentDike far ahead of liquid spill for later disposal.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material. Use personal protective equipment. Sweep

up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wear personal protective equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition. Do not freeze. Do not store in direct sunlight or

in temperatures exceeding 120°F (48.9°C).

Incompatible Products Strong oxidizing agents. Do not apply over chip seals or sealers containing gilsonite. Not

recommended for use on portland cement, concrete or for indoor use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Dog 2 / 9

Page 3 / 8

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|---|---|--|
| Coal tar | TWA: 0.2 mg/m³ benzene soluble | TWA: 0.2 mg/m ³ benzene | IDLH: 80 mg/m ³ |
| 8007-45-2 | aerosol | soluble fraction TWA: 150 μg/m ³ | TWA: 0.1 mg/m ³ |
| | | (vacated) TWA: 0.2 mg/m ³ | Cyclohexane-extractable fraction |
| | | benzene soluble fraction | TWA: 0.2 mg/m ³ Benzene soluble |
| | | | fraction |
| Kaolin | TWA: 2 mg/m ³ particulate matter | TWA: 15 mg/m³ total dust | TWA: 10 mg/m ³ total dust |
| 1332-58-7 | containing no asbestos and <1% | TWA: 5 mg/m³ respirable | TWA: 5 mg/m ³ respirable dust |
| | crystalline silica, respirable | fraction | |
| | fraction | (vacated) TWA: 10 mg/m³ total | |
| | | dust | |
| | | (vacated) TWA: 5 mg/m ³ | |
| | | respirable fraction | |

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

> Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection

Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

Wear protective gloves/clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area **Hygiene Measures**

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. **Appearance** Brown.

Odor Slight, Tar like. **Odor Threshold** No information available.

Property Values Remarks/ - Method 7.0 - 9.0 Ha None known Melting Point/Range No information available. None known **Boiling Point/Boiling Range** 100 °C / 212 °F None known **Flash Point** 93.3 °C; (Coal Tar) / > 200 None known °F **Evaporation rate** No data available No information None known available. Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available. None known **Vapor Density** No data available. None known **Specific Gravity** 1.0 None known **Water Solubility** Partly soluble. None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known

Revision Date 3-Feb-2022

Decomposition TemperatureNo data availableNone knownViscosityNo data availableNone known

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

VOC (g/I) 49

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Extreme heat.

Incompatible materials

Strong oxidizing agents. Do not apply over chip seals or sealers containing gilsonite. Not recommended for use on portland cement, concrete or for indoor use.

Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrocarbons. Sulfur oxides. Hydrogen sulfide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

InhalationThere is no data available for this product.Eye ContactThere is no data available for this product.Skin ContactThere is no data available for this product.IngestionThere is no data available for this product.

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|-------------------|-----------------------|-----------------|
| Coal tar | =1700 mg/kg (Rat) | =15800 mg.kg (Rabbit) | - |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available. **Mutagenic Effects** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-------|------|
| Coal tar | A1 | Group 1 | Known | X |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

Acute Toxicity 1.7% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral4093 mg/kg; Acute toxicity estimateLD50 Dermal38036 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not Classified

Persistence and Degradability No information available.

Bioaccumulation No information available.

| Chemical Name | Log Pow |
|---------------|---------|
| Coal tar | 6.04 |

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional,

or local regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardYesFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Coal tar | | X | | |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

| Chemical Name | CAS-No | California Prop. 65 |
|----------------------|-----------|---------------------|
| Coal tar | 8007-45-2 | Carcinogen |
| N-Methylolacrylamide | 924-42-5 | Carcinogen |
| Acrylamide | 79-06-1 | Carcinogen |
| Formaldehyde | 50-00-0 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey Massachusetts Pennsylvania | | Illinois | Rhode Island | |
|---------------|---------------------------------------|---|----------|--------------|---|
| Coal tar | X | Χ | Χ | Χ | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION | | | | | |
|-----------------------|------------------|----------------|------------|-------------------|---------------------------------|
| NFPA | Health Hazard 2 | Flammability | 1 I | Instability 0 | Physical and Chemical Hazards - |
| <u>HMIS</u> | Health Hazard 0' | * Flammability | 1 i | Physical Hazard 0 | Personal Protection X |

^{*}Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 30-Jun-2015

Issuing Date30-Jun-2015Revision Date30-Jun-2015Revision NoteInitial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
